

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050120195".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 16:46
S2	4427	(711/108,170-173 or 712/245-248). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:11
S4	574	711/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:12
S5	5651	packet near2 processor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 15:30
S6	136	(multithreaded near2 engine\$2) or (multi-threaded near2 engine\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:20
S7	35	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:24
S8	34	S7 and memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:21
S9	12	S7 and allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:28

S10	6	S9 and CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:41
S11	141286	CAM and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:42
S12	2596	(content addressable memory) and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:42
S13	2619	(content near2 addressable near2 memory) and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:46
S14	20596	CAM same entr\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:47
S15	618	S14 same count\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:48
S17	75	S15 same bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 10:50
S18	48	S17 and increment\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:15

S19	2	"6,687,247".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:16
S20	17	S6 and memory near2 entr\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:22
S22	636	CAM same identifier\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:24
S23	72	S22 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 17:01
S24	320	CAM with identifier\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:32
S25	33	S24 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:32
S26	1373	CAM with tag\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:32
S27	110	S26 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:32

S28	0	S26 same (allocat\$3 with instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 11:33
S29	77	S26 and (allocat\$3 with instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 13:14
S30	4	("5893137" "6137707" "6253280" "6266262").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 11:34
S31	2	("6480931").URPN.	USPAT	OR	OFF	2005/12/14 11:36
S32	140	bit with (memory entr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 15:16
S34	30	S32 with (set or setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 15:16
S35	1	S32 with high	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 14:50
S36	26	S32 with "1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 14:53
S37	2494	CAM same count\$3 same increment\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 14:54
S38	917	CAM same count\$3 with increment\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 14:59

S39	371	CAM with count\$3 with increment\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 14:55
S40	163661	("711"/\$ or "712"/\$ or "709"/\$ or "370"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:30
S41	101	S38 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 17:35
S42	62	CAM same count\$3 with (increment\$3 and decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 17:38
S43	19	S42 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 15:45
S44	1997	bit with (memory near5 entr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/14 15:16
S45	567	S44 with (set or setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 15:27
S46	355	S45 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 15:46

S47	76	S46 and CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 15:46
S49	10	("5285527" "5499204" "5515518" "5532693" "5555392").PN. OR ("5819308"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 17:02
S50	3	"6779043"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 17:03
S51	19	("4791606" "5383146" "5386413" "5446726" "5684954" "5862338" "5917821" "6094434" "6098109" "6098110" "6175571" "6199140" "6201789" "6222840" "6233242" "6233246" "6260073" "6389480" "6430626").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 17:08
S52	62	CAM same count\$3 with (increment\$3 and decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 17:37
S53	84	CAM same count\$3 same (increment\$3 and decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/14 17:38
S54	19697	bit same \$2availabl\$3 same memor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 09:29
S55	7132	S54 same (set or high)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 09:29

S56	389	S55 and CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 09:29
S57	96	S55 same CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 09:36
S58	57	status bit same CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 10:05
S59	17	status bit same CAM same set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 10:05
S60	4268	CAM same thread	USPAT	OR	OFF	2005/12/15 10:39
S61	23	CAM same bit same thread	USPAT	OR	OFF	2005/12/15 10:39
S62	588	CAM same bit same register	USPAT	OR	OFF	2005/12/15 10:52
S63	67	CAM same bit same register same status	USPAT	OR	OFF	2005/12/15 10:52
S64	5657	packet near2 processor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 15:38
S65	408	S64 and CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/15 15:30
S66	236154	("711"/\$ or "712"/\$ or "709"/\$ or "370"/\$ or "365"/\$).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:31

S67	354	S65 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:31
S68	208	S67 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:35
S69	192	S67 and count	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:35
S70	200	S67 and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:38
S71	88	S67 and (counter same increment\$3 and decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:38
S72	88	S71 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:36
S74	1721	S64 and counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:38
S75	53	S64 and (CAM and counter same increment\$3 same decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:39

S76	2	S64 and (CAM same counter same increment\$3 same decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:42
S77	81	(status near2 register) same CAM same bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:47
S78	62	(status near2 register) same CAM same bit!	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:47
S81	3907	CAM same instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 17:02
S83	159	CAM near2 entry same instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 17:03
S84	83	CAM near2 entry with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 17:23
S85	14	Ng and entry adj candidate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 17:25
S86	2	"6934796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 17:27

S87	2	"6697276".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 17:27
S88	592	ternary with CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:45
S89	1	ternary with CAM same "4 bits"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:46
S90	9	ternary with CAM same "four bits"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:53
S91	125	CAM same "four bits"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:46
S92	2981	CAM and thread and instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:57
S93	91	CAM same thread same instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:54
S94	0	S93 same "four bits"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:55

S95	10	S93 same bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:55
S96	352	CAM and thread and instruction and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 17:57
S97	299	S96 and (count or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:10
S98	22	S96 and (CAM same (count or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:10
S99	241	S96 and (count)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:28
S10 2	12	multithreaded adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:29
S10 3	22	multi-threaded engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 18:29
S10 4	3	S102 and CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 18:29

S10 5	4	S103 and CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 18:29
----------	---	--------------	---	-----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	88	S67 and (counter same increment\$3 and decrement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:07
S78	127	S77 same engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:08
S80	8	S77 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:09
S79	236154	("711"/\$ or "712"/\$ or "709"/\$ or "370"/\$ or "365"/\$).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:09
S82	8058	S81 and (count or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:16
S81	41287	CAM same thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:16
S84	21	S81 and (count or counter) same increment\$3 same decrement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:17
S77	3480	CAM same (count or counter) same thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:18

S86	32	S85 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:20
S88	312	(CAM with (count or counter) with us\$3)	USPAT	OR	OFF	2005/12/16 09:25
S87	171394	(CAM same count or counter same us\$3)	USPAT	OR	OFF	2005/12/16 09:25
S89	51	S88 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:26
S83	41	S82 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:26
S91	4	trace with filtering.ti.	USPAT	OR	OFF	2005/12/16 13:50
S90	458	trace with filtering	USPAT	OR	OFF	2005/12/16 13:50
S95	0	Mendelson and trace.ti.	USPAT	OR	OFF	2005/12/16 13:53
S94	0	Mendelson.in. and trace.ti.	USPAT	OR	OFF	2005/12/16 13:53
S98	1	"20020095553"	US-PGPUB; USPAT	OR	OFF	2005/12/16 13:54
S97	208	Mendelson.in.	USPAT	OR	OFF	2005/12/16 13:54
S96	0	Mendelson and trace.ti.	USPAT	OR	OFF	2005/12/16 13:54
S93	0	"20020095553"	USPAT	OR	OFF	2005/12/16 13:54
S92	0	"20020095553".pn.	USPAT	OR	OFF	2005/12/16 13:56
S85	2545	CAM same (count or counter) same (increment\$3 or increas\$3) same (decrement\$3 or decrease\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:04
S10 3	224	S102 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:05

S10 0	236154	("711"/\$ or "712"/\$ or "709"/\$ or "370"/\$ or "365"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:05
S99	3694	processor same CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:05
S10 2	350	(processor with instructions) same CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:06
S10 6	1	S105 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:17
S10 5	194	(count or counter) with thread with CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:17
S10 4	54	(processor with instructions) same CAM same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:17
S10 1	1174	S99 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 14:17
S50	3	"6779043"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 14:25

S107	2	"6687247".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 14:29
S109	2	"5485593".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:46
S110	2	"20020138544".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:47
S108	16	(multithread\$2 or multi-thread\$2). clm. and (content addressable or CAM).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 15:30
S111	13	("5778243").URPN.	USPAT	OR	OFF	2005/12/16 15:33
S14	20596	CAM same entr\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:46
S112	4	CAM near2 allocat\$ with instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:47
S113	19	CAM with allocat\$ with instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:49
S114	2	CAM with entr\$2 with instruction\$1 with packet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:50

S11 6	1873	CAM with processor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:57
S11 5	5	CAM with entr\$2 with instruction\$1 same packet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:57
S11 7	13	S116 with thread\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 17:15
S11 8	3	(CAM or content addressable) same instruction\$1 same (multithread\$2 or multi-thread\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 17:16
S11 9	2637	packet adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:45
S12 0	60	S119 with CAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:47
S12 1	21	S119 with CAM and (CAM with entr\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:53
S12 2	12	S119 with CAM and (CAM with entr\$2) and instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:54

S12 3	2	"20020188799".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:56
----------	---	-------------------	---	----	----	------------------